APPRAISAL REVIEW SCORECARD

ID#: Domino102824

4913 Ira St

Haltom City, TX 76117-2313

Appraised Value

$460,000



5 Bd | 4.1 Ba | 1459 sqft | Q3 | C3

Case #.....

Assignment Type.....Purchase

Client.....Bank of Frisco

Borrower.....John Smith

Legal Owner.....HILL TIMOTHY P,HILL KALA R

Seller is Owner.....Yes

Occupancy.....Owner

For Sale Last 36 Mo?.....No

PUD | HOA Fees.....Yes | $50/mo

Form.....1004_05UAD

Appraisal is Made.....As is

Appraised Value.....$460,000

Appraiser.....Joe Appraiser

License Expiration.....1234567 expires 07/31/2026

Signed Date.....09/10/2024

Site Size.....10277 sf

Site Value.....$125,000

Multiple Parcels.....No

Parcel #.....00339040

Flood Hazard Area.....No | X

Zoning.....SFR | Legal

Highest and Best Use.....Yes

Design | # of Stories.....DT2;Traditional | 2 Story

Year Built.....Existing | 1958

Legal Desc.....Browning Heights East Block 75 Lot 32

Listing Desc.....DOM 21;NTREIS MLS #14503179;Status: Active Under Contract;ListingDate: 01/20/2021;ListPrice: $439,000

Contract Price.....$425,000

Arms length sale;Standard purchase contract relying on conforming financing with no seller concessions disclosed.

Concessions.....Yes | $0

$0;;No financial assistance provided.

Additional Details

Tech Review Complete.....No

Risk Indicators

Accuracy

INSUFFICIENT DATA

Review Results: 2283 Rules / 36 Findings

Business	Compliance	Cross-Check	Requirements	Risk
Best Practices	Industry Standards	Data Validation	Letter of Engagement	Areas of Concern
BUS - 24 Findings	CPL - 3 Findings	CRX - 9 Findings	REQ - PASS	RSK - PASS

Review Checklist: 109 Items

- ✓ Order (1)
- N/A Subject (14)
- N/A Contract (5)
- N/A Neighborhood (8)
- ✓ Site (9)
- N/A Improvements (6)
- ✗ Sales Comp (21)
- ✓ Cost Approach (2)
- ✓ Reconciliation (4)
- N/A 1004MC (7)
- N/A License and E&O (6)
- N/A Photos (9)
- N/A Maps (7)
- N/A Floor plan (4)
- N/A USPAP (3)
- ✓ Other (3)

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.


APPRAISAL REVIEW SCORECARD ID#: Domino102824

Alternative Sales & Listings

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

SUBJECT SALES COMPS LISTING COMPS POTENTIAL SALES POTENTIAL LISTINGS



#	ADDRESS	PROX. (mi)	SALE/LIST PRICE	SALE/LIST DATE	SITE	GLA (sf)	BD	BA	AGE	CARS
S	4913 Ira St Haltom City TX, 76117-2313	–	$425,000	09/09/2024	10277 sf	1,459	5	4.1	66	2gbi2dw
1	4801 Stanley Keller Rd Haltom City, TX 76117-1241	0.18	$319,070	s08/20;Unk	8538 sf	3,335	4	3.0	6	2gbi2dw
2	5000 Nadine Dr Haltom City, TX 76117-2329	0.21	$149,625	s02/20;Unk	7405 sf	3,268	5	3.0	8	3gbi3dw
3	5020 Nadine Dr Haltom City, TX 76117-2329	0.24	$271,320	s07/20;Unk	7909 sf	3,465	4	3.1	8	2ga2dw
1	4012 FIELD ST HALTOM CITY TX, 76117-2302	0.14	–	–	–	1,552	–	2.0	–	–
2	4920 ROXIE ST HALTOM CITY TX, 76117-2333	0.15	–	–	–	1,370	–	1.0	–	–
3	4104 FIELD ST HALTOM CITY TX, 76117-1222	0.19	–	–	–	1,485	–	1.0	–	–
4	5000 NADINE DR HALTOM CITY TX, 76117-2329	0.22	–	–	–	1,271	–	1.0	–	–
5	4713 STANLEY KELLER RD HALTOM CITY TX, 76117-2226	0.23	–	–	–	1,541	–	2.0	–	–
6	4821 STEPHANIE DR HALTOM CITY TX, 76117-2360	0.23	–	–	–	1,728	–	1.0	–	–
7	4701 ROXIE ST HALTOM CITY TX, 76117-2251	0.24	–	–	–	1,274	–	2.0	–	–
8	4705 MADELLA ST HALTOM CITY TX, 76117-2234	0.24	–	–	–	1,497	–	2.0	–	–
9	4625 ROXIE ST HALTOM CITY TX, 76117-2249	0.25	–	–	–	1,240	–	2.0	–	–
1	4325 MONNA ST HALTOM CITY TX, 76117-2755	0.6	$59,360	09/11/2024	–	1,310	3	1.0	67	–
2	5329 PALMER DR HALTOM CITY TX, 76117-2559	0.61	$120,986	03/21/2024	–	1,208	3	1.0	68	–

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

APPRAISAL REVIEW SCORECARD ID#: Domino102824

Review Results

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

The Appraisal Review Scorecard includes thousands of rules and quality factors to evaluate the appraisal report. The result is an in-depth appraisal review providing comprehensive due diligence in understandable and actionable terms.

TYPES CF-Confirmation | CM-Completeness | CN-Concern | CR-Correctness | CS-Consistency | CX-Cross Check

IMPORTANCE Ranking 1 lowest to 5 highest

ERRORS FINDINGS: 3

3 CS
Sales Comparison Analysis | Sale Price/Gross Liv. Area
1004_05UAD - SALES COMPARABLE NO. 1 - Sale Price/Gross Liv. Area - Sale price divided by gross living area does not equal sales price per gross living area.

3 CS
Sales Comparison Analysis | Sale Price/Gross Liv. Area
1004_05UAD - SALES COMPARABLE NO. 2 - Sale Price/Gross Liv. Area - Sale price divided by gross living area does not equal sales price per gross living area.

3 CS
Sales Comparison Analysis | Sale Price/Gross Liv. Area
1004_05UAD - SALES COMPARABLE NO. 3 - Sale Price/Gross Liv. Area - Sale price divided by gross living area does not equal sales price per gross living area.

CLIENT SPECIFIC FINDINGS: 1

3 CS
Signatures | Appraiser: Name
UAD - APPRAISER - Appraiser Name - does not match ASC.gov for the Certification or License Number provided.

WARNING FINDINGS: 39

1004_05UAD - REPORT - The keyword "ANSI" was not found in the Additional Features, Condition of the Property, Additional Comments, Sales Comments, or the Beginning or Ending Addendum. The Fannie Mae Selling Guide requires that the ANSI method be used to measure, calculate, and report GLA and non-GLA areas of Subject properties and that all footprint sketches and floor plans must be computer-generated (not hand-drawn) for appraisals with an effective date of April 1, 2022 or later. Please include a comment in the report confirming that the Subject Property was measured according to the ANSI standard.

3 CR
Sales Comparison Analysis | Site
1004_05UAD - SALES COMPARISON APPROACH - Site Size - is not bracketed by the comparables.

3 CR
Sales Comparison Analysis | Age
1004_05UAD - SALES COMPARISON APPROACH - Actual Age - Subject Property's Actual Age is not bracketed by Actual Age values found in Sales Comparables.

3 CS
Sales Comparison Analysis | Condition
GSE - SALES COMPARISON APPROACH - Subject Condition - C3 rating is indicated, but property actual age or effective age is 25 years or greater and property is sold as-is with no improvements in the last 15 years. (ref. FNM0487)

3 CR
Sales Comparison Analysis | Gross Living Area Sq.Ft.
1004_05UAD - SALES COMPARISON APPROACH - Gross Living Area - Subject Property's Gross Living Area is not bracketed by Gross Living Area values found in Comparables. Comment required.

3 CR
Sales Comparison Analysis | Gross Living Area Sq.Ft.
1004_05UAD - SALES COMPARISON APPROACH - Gross Living Area (GLA) - all closed sales are superior to Subject Property.

3 CR
Sales Comparison Analysis | Date of Sale/Time
1004_05UAD - SALES COMPARABLE(S) #1, 2, 3 - Date of Sale - precedes Effective Date of the appraisal by more than 12 months.

3 CS
Sales Comparison Analysis | Comparable: Date of Sale/Time Adjustment
GSE - SALES COMPARABLE NO. 1 - Date of Sale/Time adjustment - is negative or blank, and Property Values Increasing is checked and Date of Sale/Time is at least 9 months in the past. (ref. FNM0632)

1004_05UAD - SALES COMPARABLE NO. 1 - Site Size - is 8538 SF sf, and ACI Insights Listings indicates that the Site Size is 10280.0 Sf.

3 CR
Sales Comparison Analysis | Age
1004_05UAD - SALES COMPARABLE(S) #1, 2 - Actual Age - differs by more than 26 years from the subject property and no adjustment has been entered.

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Results

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CX Sales Comparison Analysis | Age
CRX - 1004_05UAD - SALES COMPARABLE NO. 1 - Age (6; Year Built: 0) differs from PUBLIC RECORDS (59; Year Built: 1965).

1004_05UAD - SALES COMPARABLE NO. 1 - Gross Living Area - is 3335 and ACI Insights Listings indicates that the GLA is 1263.0. Comment, including an explanation of this difference, is required.

3 CX Sales Comparison Analysis | Gross Living Area Sq.Ft.
CRX - 1004_05UAD - SALES COMPARABLE NO. 1 - Gross Living Area (3335) differs from PUBLIC RECORDS (1263).

3 CR Sales Comparison Analysis | Comparable: Gross Living Area/Sq.Ft. Adjustment
1004_05UAD - SALES COMPARABLE(S) #1, 2, 3 - Gross Living Area Adjustment - exceeds 15% of Sales Price.

3 CR Sales Comparison Analysis | Comparable: Net Adjustment
1004_05UAD - SALES COMPARABLE(S) #1, 2, 3 - Gross Adjustment Percentage - exceeds 15% of Sales Price.

3 CR Sales Comparison Analysis | Sales Price
1004_05UAD - SALES COMPARABLE NO. 2 - Sale Price - differs by more than 50% of Estimated Market Value.

3 CR Sales Comparison Analysis | Sales Price
1004_05UAD - SALES COMPARABLE NO. 2 - Sale Price - is less than 50% of Estimated Market Value.

3 CR Sales Comparison Analysis | Sales Price
1004_05UAD - SALES COMPARABLE NO. 2 - Sale Price - unadjusted Sale Price falls outside of the price range defined in the neighborhood housing section.

3 CR Sales Comparison Analysis | Sales Price
GSE - SALES COMPARABLE NO. 2 - Sale Price - differs from Indicated Value by more than 80%. (ref. FNM0821)

1004_05UAD - SALES COMPARABLE NO. 2 - Site Size - is 7405 SF sf, and ACI Insights Listings indicates that the Site Size is 10280.0 Sf.

3 CX Sales Comparison Analysis | Site
CRX - 1004_05UAD - SALES COMPARABLE NO. 2 - Site Area (7405 sf) differs from PUBLIC RECORDS (9000 sf).

3 CX Sales Comparison Analysis | Age
CRX - 1004_05UAD - SALES COMPARABLE NO. 2 - Age (8; Year Built: 2016) differs from PUBLIC RECORDS (68; Year Built: 1956).

3 CX Sales Comparison Analysis | Gross Living Area Sq.Ft.
CRX - 1004_05UAD - SALES COMPARABLE NO. 2 - Gross Living Area (3268) differs from PUBLIC RECORDS (1271).

3 CR Sales Comparison Analysis | Sales Price
1004_05UAD - SALES COMPARABLE NO. 3 - Sale Price - unadjusted Sale Price falls outside of the price range defined in the neighborhood housing section.

1004_05UAD - SALES COMPARABLE NO. 3 - Site Size - is 7909 SF sf, and ACI Insights Listings indicates that the Site Size is 10280.0 Sf.

3 CX Sales Comparison Analysis | Age
CRX - 1004_05UAD - SALES COMPARABLE NO. 3 - Age (8; Year Built: 0) differs from PUBLIC RECORDS (68; Year Built: 1956).

3 CS Sales Comparison Analysis | Comparable: Age Adjustment
GSE - SALES COMPARABLE NO. 3 - Actual Age Adjustment - is positive, however subject is older. (ref. FNM0603, FRE4281)

1004_05UAD - SALES COMPARABLE NO. 3 - Gross Living Area - is 3465 and ACI Insights Listings indicates that the GLA is 1434.0. Comment, including an explanation of this difference, is required.

3 CX Sales Comparison Analysis | Gross Living Area Sq.Ft.
CRX - 1004_05UAD - SALES COMPARABLE NO. 3 - Gross Living Area (3465) differs from PUBLIC RECORDS (1434).

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Results

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CX
Sales Comparison Analysis | Price of Prior Sale/Transfer
CRX - 1004_05UAD - SALES COMPARABLE NO. 2 - Price of Prior Sale/Transfer (478125) differs from PUBLIC RECORDS (None).

3 CX
Sales Comparison Analysis | Price of Prior Sale/Transfer
CRX - 1004_05UAD - SALES COMPARABLE NO. 3 - Price of Prior Sale/Transfer (345365) differs from PUBLIC RECORDS (None).

3 CR
Sales Comparison Analysis | Indicated Value by Sales Comparison Analysis
1004_05UAD - SALES COMPARISON APPROACH - Indicated Value - is not bracketed by the adjusted sales price of the comparables (settled sales).

3 CR
Reconciliation | Appraised Value of Subject Property
1004_05UAD - RECONCILIATION - Market Value - is not bracketed by the unadjusted Sale Prices of the Comparable Sales.

3 CR
Reconciliation | Appraised Value of Subject Property
1004_05UAD - RECONCILIATION - Estimated Market Value - is greater than the Comparable Adjusted Sales Price of all Comparable Sales.

3 CR
Reconciliation | Appraised Value of Subject Property
GSE - RECONCILIATION - Opinion of Market Value - is ABOVE the unadjusted sales prices of the comparables (settled sales). (ref. FNM0503, FRE4151)

3 CR
Reconciliation | Appraised Value of Subject Property
GSE - RECONCILIATION - Opinion of Market Value - is ABOVE the adjusted sales prices of the comparables (settled sales). (ref. FNM0501, FRE4168, FRE4152)

1004_05UAD - REPORT - PHOTOS - ACI Insights detected that a photo on the INT3BATHR1_PHOTO_1, page contains watermark, indicating a possible compliance issue. Please blur the item(s) found or retake the photo.

1004_05UAD - REPORT - PHOTOS - ACI Insights detected that a photo on the INT3BATHR1_PHOTO_2, page contains watermark, indicating a possible compliance issue. Please blur the item(s) found or retake the photo.

1004_05UAD - REPORT - PHOTOS - ACI Insights detected that a photo on the INT3AR2_PHOTO_1, page contains lawn__yard_damage, indicating possible damage to the Subject Property. Comment, including a description of the observed damage, is

INFORMATIONAL — FINDINGS: 2

3 CR
Sales Comparison Analysis | Comparable: Age Adjustment
UAD - SALES COMP #1 - Actual Age - Adjustment is blank. Description differs from the subject property. If no adjustment is warranted, a zero (0) must be entered.

3 CR
Signatures | Appraiser: Expiration Date
UAD - APPRAISER - Expiration Date of Certification or License - does not match ASC.gov. Expiration Date entered on report is 7/31/2026. Expiration Date on ASC.gov is 7/31/2023.

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

Order — FINDINGS: 1

3 CM	Invoice | Not Included in Report CHK - 1004_05UAD - REPORT - Is an Invoice not included in the appraisal report?	✔ Approved

Subject — FINDINGS: 14

3 CM	Subject | Address of Property Appraised CHK - 1004_05UAD - SUBJECT - Does Subject Property Address match the order and is it USPS verified?	
3 CM	Subject | Current Owner CHK - 1004_05UAD - SUBJECT - If Transaction Type is Refinance, did the Owner Name match the Borrower Name?	N/A
3 CM	Subject | Current Owner CHK - 1004_05UAD - SUBJECT - If the transaction type is a purchase, does the Owner of Public Record match the name in the Contract?	
3 CM	Subject | Legal Description CHK - 1004_05UAD - SUBJECT - Is a complete Legal Description provided?	✔ Approved
3 CM	Subject | Tax Year CHK - 1004_05UAD - SUBJECT - Is the Tax Year current?	✔ Approved
3 CM	Subject | Occupant: Tenant CHK - 1004_05UAD - SUBJECT - If Occupant: Tenant is checked, did the Appraiser indicate that it is rented?	N/A
3 CM	Subject | Occupant: Vacant CHK - 1004_05UAD - SUBJECT - If Occupant: Vacant is selected, is a comment provided to indicate if the utilities are connected and operable?	N/A
3 CM	Subject | HOA Fees CHK - 1004_05UAD - SUBJECT - Are HOA Fees provided if PUD is selected?	✔ Approved
3 CM	Subject | HOA Fees CHK - 1004_05UAD - SUBJECT - Are dues or fees for private associations or use of facilities provided?	
3 CM	Subject | Property Rights Appraised: Fee Simple CHK - 1004_05UAD - SUBJECT - Is Property Rights Appraised Fee Simple?	✔ Approved
3 CM	Subject | Transaction Type: Purchase CHK - 1004_05UAD - SUBJECT - Is Assignment Type provided?	✔ Approved
3 CM	Subject | Lender/Client: Company Name CHK - 1004_05UAD - CERTIFICATION - Does the Lender /Client Name and Address match client information?	
3 CM	Subject | Twelve Month Listing History of Subject Property CHK - 1004_05UAD - SUBJECT - Is MLS the Data Source utilized for researching and documenting Listing History?	✔ Approved
3 CM	Subject | Twelve Month Listing History of Subject Property CHK - 1004_05UAD - SUBJECT - If MLS was not utilized as the Data Source, was an explanation provided?	

Contract — FINDINGS: 5

3 CM	Contract | Sales Contract Reviewed: Yes CHK - 1004_05UAD - CONTRACT - If this is a Purchase transaction, did the appraiser indicate if they did or did not analyze the Contract for Sale?	✔ Approved
3 CM	Contract | Analysis of the Sales Contract CHK - 1004_05UAD - CONTRACT - Is the explanation of the results of the analysis of the Contract for Sale, or why the analysis was not performed, provided?	
3 CM	Contract | Contract Price CHK - 1004_05UAD - CONTRACT - If a Purchase Transaction, does the price listed in the contract match the Contract Price provided?	

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CM
Contract | Date of Contract
CHK - 1004_05UAD - CONTRACT - If this is a Purchase transaction, does the date listed in the Contract match the Date of Contract provided?

3 CM
Contract | Contract Data Source
CHK - 1004_05UAD - CONTRACT - Are Data Source(s) provided?
✔ Approved

Neighborhood — FINDINGS: 8

3 CM
Neighborhood | Property Values: Declining
CHK - 1004_05UAD - NEIGHBORHOOD - If Property Values are in a declining market, are the rate and data source(s) used provided?
N/A

3 CM
Neighborhood | Neighborhood Boundaries
CHK - 1004_05UAD - NEIGHBORHOOD - Does the Location correspond to the Aerial Map (Location: To the north by Panther Creek, to the south by Eldorado Pakrway, to the east by Hwy 423, and to the west by Woodlake Parkway.)?

3 CM
Neighborhood | Neighborhood Boundaries
CHK - 1004_05UAD - NEIGHBORHOOD - Do the Boundaries include the delineations 'North' 'South' 'East' and 'West'?
✔ Approved

3 CM
Neighborhood | Single Family Housing: Price Low
CHK - 1004_05UAD - NEIGHBORHOOD - Are all One-Unit Housing fields (Low High Pred. Price and Age) completed with a numerical value?
✔ Approved

3 CM
Neighborhood | Present Land use: One family
CHK - 1004_05UAD - NEIGHBORHOOD - Does Present Land Use breakdown add up to 100%?
✔ Approved

3 CM
Neighborhood | Present Land use: Other Label
CHK - 1004_05UAD - NEIGHBORHOOD - If Present Land Use: Other is indicated, was a comment provided as to land use?
✔ Approved

3 CM
Neighborhood | Neighborhood Description
CHK - 1004_05UAD - NEIGHBORHOOD - Is the Neighborhood Description completed in detail?
✔ Approved

3 CM
Neighborhood | Neighborhood Market Conditions
CHK - 1004_05UAD - NEIGHBORHOOD - Is the Neighborhood Market Conditions accurate and do they support statements and the 1004MC?

Site — FINDINGS: 9

3 CM
Site | Specific Zoning Classification
CHK - 1004_05UAD - SITE - Is the Specific Zoning Classification provided?
✔ Approved

3 CM
Site | Zoning Description
CHK - 1004_05UAD - SITE - Is Zoning Description other than residential?
N/A

3 CM
Site | Zoning Compliance: Nonconforming
CHK - 1004_05UAD - SITE - If Zoning Compliance is Legal Non-conforming Grandfathered, are comments included as to why it isn't conforming, whether the Subject can be rebuilt, the impact on marketability, and if no like Comparable Sales are
N/A

3 CM
Site | Utilities: Water: Other
CHK - 1004_05UAD - SITE - Utilities -If Water and / or Sanitary Sewer are marked 'Other', is commentary provided to indicate if it is typical for the market and if it has affect on marketability?
N/A

3 CM
Site | Street: Private
CHK - 1004_05UAD - SITE - Street - If Private Street and not a PUD, are comments provided if it is common and typical for the area, who is responsible for maintaining the road, and permanent legal access?
N/A

3 CM
Site | FEMA Special Flood Hazard Area: Yes
CHK - 1004_05UAD - SITE - Is the FEMA Special Flood Hazard Are section completed?
N/A

3 CM
Site | FEMA Special Flood Hazard Area: Yes
CHK - 1004_05UAD - SITE - If the Subject Property is in a flood zone, are comments included regarding impact and marketability, and is Site Value provided in the Cost Approach?
N/A

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CM	Site | Utilities/Off-Site Improvements Typical: No CHK - 1004_05UAD - SITE - If the Utilities and Off-site Improvements are not typical for the market area, is commentary provided?	N/A
3 CM	Site | Adverse Site Conditions: Yes CHK - 1004_05UAD - SITE - If Adverse Site Conditions are indicated or observed, is a description provided in the report and are photos included?	N/A

Improvements — FINDINGS: 6

3 CM	Improvements | Year Built CHK - 1004_05UAD - IMPROVEMENTS - If the Actual Age (66) is significantly different from Predominant Age (6) is a comment provided as to why it is outside the range and the marketability of the property?	
3 CM	Improvements | Foundation: Infestation CHK - 1004_05UAD - IMPROVEMENTS - If evidence of Infestation, Dampness, or Settlement is indicated, is a comment provided?	N/A
3 CM	Improvements | Finished area above ground: Rooms CHK - 1004_05UAD - IMPROVEMENTS - Does the Total number of rooms (11), bedrooms (5), bathrooms (4.1) and square feet of GLA (1459), match the photos and	
3 CM	Improvements | Condition of the Property CHK - 1004_05UAD - IMPROVEMENTS - Is the Condition of the Property thoroughly explained?	
3 CM	Improvements | Physical Deficiencies or Adverse Conditions CHK - 1004_05UAD - IMPROVEMENTS - If Physical Deficiencies or Adverse Conditions are noted, is a description provided?	N/A
3 CM	Improvements | Property Conformity to Neighborhood CHK - 1004_05UAD - IMPROVEMENTS - If No selected in response to 'Does the Property Generally Conform to the Neighborhood', is a description provided?	N/A

Sales Comp — FINDINGS: 21

3 CM	Sales Comparison Analysis | Number of Comparable Listings CHK - 1004_05UAD - SALES COMPARISON APPROACH - Are the number of properties and value range provided for the Listings in the Neighborhood?	✓ Approved
3 CM	Sales Comparison Analysis | Number of Comparable Sales CHK - 1004_05UAD - SALES COMPARISON APPROACH - Are the number of properties and value range provided for the Comparable Sales in the Neighborhood?	✓ Approved
3 CM	Sales Comparison Analysis | Address CHK - 1004_05UAD - SALES COMPARISON APPROACH - Is the Net and Gross Adjustment % calculated correctly for all Comparable Sales?	✓ Approved
3 CM	Sales Comparison Analysis | Site CHK - 1004_05UAD - SALES COMPARISON APPROACH - Is the Site Size provided for the Subject and all Comparable Sales?	✓ Approved
3 CM	Sales Comparison Analysis | View CHK - 1004_05UAD - SALES COMPARISON APPROACH - If a Comparables Sale's View is the same as the Subject's and an adjustment is given, is a comment provided?	N/A
3 CM	Sales Comparison Analysis | Quality of Construction CHK - 1004_05UAD - SALES COMPARISON APPROACH - If the Quality of Construction is the same as the Subject's and an adjustment is given, is a comment	N/A
3 CM	Sales Comparison Analysis | Age CHK - 1004_05UAD - SALES COMPARISON APPROACH - Is the Actual Age provided for the Subject and all Comparable Sales?	✓ Approved
3 CM	Sales Comparison Analysis | Age CHK - 1004_05UAD - SALES COMPARISON APPROACH - If a Comparable Sale's Actual Age is outside of the Neighborhood Housing range, is a comment provided?	N/A
3 CM	Sales Comparison Analysis | Bedrooms CHK - 1004_05UAD - SALES COMPARISON APPROACH - If the Subject Property is a 0, 1, or 2 bedroom home, does at least one Comparable Sale have a similar or lower bedroom count?	N/A
3 CM	Sales Comparison Analysis | Gross Living Area Sq.Ft. CHK - 1004_05UAD - SALES COMPARISON APPROACH - Is the GLA of all Comparable Sales within 25% of the Subject Property's GLA?	

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CM	Sales Comparison Analysis | Address CHK - 1004_05UAD - SALES COMPARISON APPROACH - Do all line-item adjustments include a range of positive and negative values, or if any across-the-board adjustments were found, are Appraiser comments included?	
3 CM	Sales Comparison Analysis | Comparable: Proximity to Subject CHK - 1004_05UAD - SALES COMPARISON APPROACH - Does the distance between the Subject Property and the Comparable Sales correspond to the location (If 'Urban' within .5 Miles; If 'Suburban' within 1 Mile; If 'Rural' within 5 Miles)?	✔ Approved
3 CM	Sales Comparison Analysis | Sales Price CHK - 1004_05UAD - SALES COMPARISON APPROACH - Does the Unadjusted Sale Price of the Comparable Sales bracket the Subject's Contract Price, or is a comment provided?	
3 CM	Sales Comparison Analysis | Date of Sale/Time CHK - 1004_05UAD - SALES COMPARISON APPROACH - If the Date of Sale of the Comparable Sales is greater than within 6 months, is a comment provided?	
3 CM	Sales Comparison Analysis | Comparable: Net Adjustment Percentage CHK - 1004_05UAD - SALES COMPARISON APPROACH - If Net Adjustments are greater than 15%, is a comment provided?	N/A
3 CM	Sales Comparison Analysis | Comparable: Net Adjustment Percentage CHK - 1004_05UAD - SALES COMPARISON APPROACH - Is the Net Adjustment % of the majority of the Comparable Sales adjusted less than 15%?	✔ Approved
3 CM	Sales Comparison Analysis | Comparable: Gross Adjustment Percentage CHK - 1004_05UAD - SALES COMPARISON APPROACH - If Gross Adjustments are greater than 25%, is a comment provided?	
3 CM	Sales Comparison Analysis | Comparable: Gross Adjustment Percentage CHK - 1004_05UAD - SALES COMPARISON APPROACH - Is the Gross Adjustment % of the majority of Comparable Sales adjusted less than 25%?	
3 CM	Sales Comparison Analysis | Comparable: Adjusted Sales Price CHK - 1004_05UAD - SALES COMPARISON APPROACH - Does the Adjusted Sale Price of the Comparable Sales bracket the Subject's Contract Price, or is a comment provided?	
3 CM	Sales Comparison Analysis | Researched Sale/Transfer History of Subject and Comparable Sales: Yes CHK - 1004_05UAD - SALES COMPARISON APPROACH - If prior sales of the Subject or Comparable Sales is given, is a comment including type of sale and why it sold for less / more provided?	N/A
3 CM	Sales Comparison Analysis | Date of Prior Sale/Transfer CHK - 1004_05UAD - SALES COMPARISON APPROACH - If one or more Comparable Sales had a prior sale within the past year, is a comment provided?	N/A

Cost Approach — FINDINGS: 2

3 CM	Cost Approach | Support for the Opinion of Site Value CHK - 1004_05UAD - COST APPROACH - Are Opinion of Value and Support for the Opinion of Site Value provided?	✔ Approved
3 CM	Cost Approach | Cost Approach Comments CHK - 1004_05UAD - COST APPROACH - If New Construction, is the Cost Approach provided?	N/A

Reconciliation — FINDINGS: 4

3 CM	Reconciliation | The appraisal is made: subject to repairs CHK - 1004_05UAD - RECONCILIATION - If report is 'Subject to repairs' is a comment provided indicating if required immediately for health, safety or soundness, or if repairs are for deferred maintenance?	N/A
3 CM	Reconciliation | Appraised Value of Subject Property CHK - 1004_05UAD - RECONCILIATION - If Appraised Value does not match Indicated Value by Sales Comparison Approach, is a comment provided?	N/A
3 CM	Reconciliation | Appraised Value of Subject Property CHK - 1004_05UAD - RECONCILIATION - If the Subject Property's value is over $1 Million, is the Appraiser Certified?	N/A
3 CM	Reconciliation | Appraised Value of Subject Property CHK - 1004_05UAD - RECONCILIATION - Is the Opinion of Market Value ($460,000) within the Neighborhood price range ($315,000 - $600,000) on page 1 of the report?	✔ Approved

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

APPRAISAL REVIEW SCORECARD ID#: Domino102824

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

1004MC — FINDINGS: 7

3 CM	Market Analysis | Market Analysis: Total Number of Comparable Sales Trend: Increasing CHK - 1004MC_2009 - 1004MC - Are Overall Trend boxes completed, or are two or more data fields N/A or blank?	✔ Approved
3 CM	Market Analysis | Market Analysis: Total Number of Comparable Sales Trend: Increasing CHK - 1004MC_2009 - 1004MC Inventory Analysis - Are Overall Trend boxes completed?	✔ Approved
3 CM	Market Analysis | Market Analysis: Total Number of Comparable Sales Trend: Increasing CHK - 1004MC_2009 - 1004MC - Is information supportive of the Neighborhood section?	
3 CM	Market Analysis | Market Analysis: Median Comparable Sale Price Trend: Increasing CHK - 1004MC_2009 - 1004MC Median Sale & List Price, DOM, Sale/List% - Are Overall Trend boxes completed?	✔ Approved
3 CM	Market Analysis | Market Analysis: Seller Concessions Comments CHK - 1004MC_2009 - 1004MC - Is an explanation of Seller Concessions trends from the previous 12 months provided?	✔ Approved
3 CM	Market Analysis | Market Analysis: Foreclosure Sales (REO Sales) a Factor: Yes CHK - 1004MC_2009 - 1004MC - Is either Yes or No selected in response to 'Are Foreclosures Sales a Factor in the Market'?	✔ Approved
3 CM	Market Analysis | Market Analysis: Foreclosure Sales (REO Sales) Comments CHK - 1004MC_2009 - 1004MC - If Foreclosures Sales are a factor in the market, is a comment including the number of sales provided?	N/A

License and E&O — FINDINGS: 6

3 CM	Signatures | Appraiser: Name CHK - 1004_05UAD - CERTIFICATION - Is the Appraiser's signature provided?	✔ Approved
3 CM	Signatures | Appraiser: Date Report Signed CHK - 1004_05UAD - CERTIFICATION - Is the Date of Signature and Report reasonable based on the Effective Date of the Report?	✔ Approved
3 CM	Signatures | Appraiser: State Certification # CHK - 1004_05UAD - LICENSE IMAGE - If an image of a License is included does it match the information provided on the Certification page (Joe Appraiser, 1234567)?	
3 CM	Signatures | Appraiser: State CHK - 1004_05UAD - CERTIFICATION - Is the Appraiser's License State a valid 2 character State abbreviation, and does it match the Subject's State?	✔ Approved
3 CM	Signatures | Appraiser: Expiration Date CHK - 1004_05UAD - CERTIFICATION - Is the Appraiser's License Expiration Date a valid date?	✔ Approved
3 CM	Signatures | Appraiser: Expiration Date CHK - 1004_05UAD - CERTIFICATION - Is the Expiration Date of License after the Signature Date?	✔ Approved

Photos — FINDINGS: 9

3 CM	Photo Addendum | Security Bars CHK - 1004_05UAD - PHOTO ADDENDUM - If applicable, is a photo of Security Bars included?	
3 CM	Photo Addendum | Special Features CHK - 1004_05UAD - PHOTO ADDENDUM - If Special Features exist (Ex. Pool,BBQ, etc.), are photos provided?	
3 CM	Photo Addendum | Comparable Sales, Listings, Rentals CHK - 1004_05UAD - PHOTO ADDENDUM - Are photographs of Comparable Sales, Listings, and Rentals original, labeled, and clear, and are MLS / file photos only utilized in extreme circumstances or gated communities?	
3 CM	Photo Addendum | Items of Bias CHK - 1004_05UAD - PHOTO ADDENDUM - Are items of bias including people or photos that show clear race or ethnicity, or inclusion of religious artifacts / symbols, excluded from any photographs of Subject?	

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CM Photo Addendum | Subject and Neighborhood
CHK - 1004_05UAD - PHOTO ADDENDUM - Is an aerial photo provided and sufficiently scaled to show the Subject Property and its immediate neighborhood?

3 CM Photo Addendum | Similar Comparables
CHK - 1004_05UAD - PHOTO ADDENDUM - Are photographs included to support the Appraiser's determination of value, and are Comparable Sales similar in design, quality and appeal to the Subject Property?

3 CM Photo Addendum | Required Photos
CHK - 1004_05UAD - PHOTO ADDENDUM - Are all required photos provided: all bathrooms (4) and half-bathrooms (1), kitchen, main living area, updates, renovations, deterioration, front, rear, street view, and exterior side photos?

3 CM Photo Addendum | Beneficial or Adverse Views
CHK - 1004_05UAD - PHOTO ADDENDUM - View is N;RES;. Are photos included for any view that is beneficial adverse or not a typical residential view? N/A

3 CM Photo Addendum | Accessory Unit
CHK - 1004_05UAD - PHOTO ADDENDUM - If applicable, are Accessory Unit photos included? N/A

Maps — FINDINGS: 7

3 CM Location Map | Map Lables
CHK - 1004_05UAD - LOCATION MAP - Is the map labeled appropriately?

3 CM Location Map | Subject Property
CHK - 1004_05UAD - LOCATION MAP - Does the map include the Subject Property?

3 CM Location Map | Comparable Sales
CHK - 1004_05UAD - LOCATION MAP - Does the map include all Comparable Sales?

3 CM Location Map | Comparable Listings
CHK - 1004_05UAD - LOCATION MAP - Does the map include all Comparable Listings?

3 CM Location Map | Major Boundary
CHK - 1004_05UAD - LOCATION MAP - If any Comparable Sale or Listing is separated from the Subject Property by a major boundary (highway, train tracks, mountain ranges, etc.), is commentary provided?

3 CM Location Map | External Influences
CHK - 1004_05UAD - LOCATION MAP - Has the Reviewer utilized on-line mapping to verify any potential external influences?

3 CM Location Map | Market Area
CHK - 1004_05UAD - LOCATION MAP - Do the Comparable Sales appear to be located in the same market area as the Subject Property?

Floor plan — FINDINGS: 4

3 CM Sketch | Measurements
CHK - 1004_05UAD - SKETCH - Does the Sketch include all measurements?

3 CM Sketch | Labeled Rooms
CHK - 1004_05UAD - SKETCH - Are all rooms (Total: 11, Beds: 5, Baths: 4.1) labeled in the floor plan?

3 CM Sketch | Rooms and GLA Match Report
CHK - 1004_05UAD - SKETCH - Does the Total Number of Rooms (11), Bathrooms (4.1), Bedrooms (5), and GLA (1459) match the report and photos?

3 CM Sketch | Digitally Created Sketch
CHK - 1004_05UAD - SKETCH - Was the Sketch created using a sketching application (hand-drawn sketch or calculations were not provided)?

USPAP — FINDINGS: 3

3 CM USPAP | Clear and Accurate Report
CHK - 1004_05UAD - USPAP - 2-1(a) - Does the Appraiser clearly and accurately set forth the report in a manner that is not misleading?

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.

Review Checklist

4913 Ira St
Haltom City, TX 76117-2313

Appraised Value
$460,000
As Of 9/10/2024

3 CM
USPAP | Intended User(s)
CHK - 1004_05UAD - USPAP - 2-1(b) - Does the Report contain sufficient information to enable the intended users of the appraisal to understand the report properly?

3 CM
USPAP | Extraordinary Assumptions, Hypothetical Conditions, Limiting Conditions
CHK - 1004_05UAD - USPAP - 2-1(c)- Does the report clearly and accurately disclose any extraordinary assumptions, hypothetical conditions, or limiting conditions that directly affect the appraisal and indicates its impact on value and assignment results?

Other — FINDINGS: 3

3 CM
Required Statement | Three-year Disclosure
CHK - 1004_05UAD - REQUIRED STATEMENTS - Is a Three-Year Disclosure Statement, indicating if appraiser has done any work on the Subject in the immediate three years prior to the appointment, provided?
✔ Approved

3 CM
PUD Information | PUD: Project Description: Row or Townhouse
CHK - 1004_05UAD - PUD INFORMATION - If the Unit Type is Attached, and the Builder is in control of the HOA, is the entire PUD section completed?
N/A

3 CM
Condo/Co-op Project | Project Type
CHK - 1004MC_2009 - 1004MC - If the Subject Property is a Condo or COOP, is the Condo / CO-OP Projects section of the 1004MC form completed?
N/A

This report was created with ACI Sky™ Review ©2024 ACI, a First American Company. All Rights Reserved. www.aciweb.com 800-234-8727
No representation or warranties to any party concerning the content, accuracy, or completeness of this Appraisal Review Scorecard, including any warranty of merchantability or fitness for a particular purpose, is implied or provided. No liability is accepted to any third party for any use or misuse of this report or its data.